P-IM

ALKER BROS. #1 LANSDALE 320 N. NE 17-19N-26E, Apache County

sl

()

OUNTY Apache	A	REA 5	mi S. Na	vajo LEASE NO	•
ve. 11 .	Dwoths	دمدسمة الا	^1a		
WELL NAME Walker					
LOCATION SW NE	SEC	TWP 1	9n range	26E FOOTAGE 180	7 FNL 1930 FEL
ELEV 5553 GR 55 80± GR f ro m USGS CONTRACTOR Truitt He	KB SPUI 7½ Quad per enderson	DATE 7	-17-65	COMP. DATE 7-	TOTAL 26-65 DEPTH 865'
CASING SIZE DEPTH	CEMENT	LINER	SIZE & DE	PTH DRILLED BY	ROTARY ×
8 5/8 27					CABLE TOOL
				·····	RESERVOIR
				INITIAL PRO	DDUCTION P&A
	T	SOUT	RCE		
FORMATION TOPS	DEPTHS		E.L.	REMARKS	
Chinle	0'		x		
Conglomerate	563'				
Shenarump	7601				
Moenkipi	770'		1	·	
Coconino	857'			<u>. </u>	
			 	-	
			 		
	<u> </u>				
ELECTRIC LOGS	PERI	FORATED I	NTERVALS	PROD. INTERVALS	SAMPLE LOG SAMPLE DESCRP.
<u>Electric</u>		NA		NA NA	SAMPLE NO. 1349*
		 			CORE ANALYSIS DSTs x
					*Tucson 2032
REMARKS					APP. TO PLUG ×
	·				PLUGGING REP. ×
		-			COMP. REPORT X
WATER WELL ACCEPTED	ВҮ				
BOND CO. Hartford	Accident (1ndemni	ty Compan		3649487
BOND AMT. \$ 10.000) (ANCELLED	10-22-6	DATE 5 ORGANIZATIO	N REPORT 6-10-65
FILING RECEIPT 9417					PLAT BOOK x
API NO. 02-001-05					All Sec. 17
77-001	-11-	2000			

5 mi S. Navajo

(over)

DRILL STEM TEST RESULTS FROM TO NO. Open one hour, strong blow immed. decreased to wak in 30 min. 865 854 Swabbed salt water, 600 feet salt water in hole. CORE RECORD RECOVERY REMARKS FROM TO NO. 6' Shale red brown silty 8' sandstone-buff 865 141 851 2 fine grained subround to round friable. REMEDIAL HISTORY NEW PERFORATIONS WORK PERFORMED DATE STARTED - COMPLETED ADDITIONAL INFORMATION

: **6**

?

ARIZONA
APACHE CO.
PINTA DOME (D)

ROCKY MOUNTAIN OIL INFORMATION

Twp 19n-26e
Section 17
sw:ne
1807 s/n 1930 w/e

OPR:

TOPS:

f. 1

Walker Brothers Oil : 133 00 00 ELEV:

5553 Gt

Log-Million Coconino 857 DSTS & CORES.
Cid 851-865; fec 6 sd;
8 zd, good p&p. wet.
DST 854-865, open 30
mins, moderate blow
of air thruout, swbd salt
wtr(press not recorded).

WELL #: 1 Lansdale-Fee SPUD: 7-17-65 COMPL: 7-26-65 TD: 865 PB:

CSG: 8-5/8" @ 27 w/6

PERF:

PROD. ZONE:

INIT. PROD: D&A

Contr: Apache

ARIZ3-563080

												_					
		WE	LL CC	OMP				COMPL				AND	VELL	rog			
ow [₹] \	Vork-	г—					ات <u>ا</u>	Same			Differer	ıt 🗀	OI)		Gas	ГП	Dry 🗌
	AGL	니.	Deepe	n .		Plug Back	ᆜ	Reser		 -	Reservo	olr L	Oil		- Ga3		1013 Luni
						DESC	RIPT	ON OF	MELL		-EASE						
perator		O*1 /	~							-	anv 1	8715.	Okl	a. C	itv.	Okla	, 73118
Valker B: ederal, State or	ros.	UII (Number	har	ame of	lessor i	if fee	ease		Numbe		Field & F					
Lansdal]	Ĺ		Wilde	at Pi	nta I	ome	Are	a
ocation							, 			County	•						
1807 FN	ا ـ نا	930 I	CEL.					···		Ap	ache	:					
Sec. TWP-Rang	e or Bl	lock & St	irvey														
Sec. 17 7	.191			401 6	epth re	nahad	l De	te comple	ted re	edy to	Elev	ation					casing
Date spudded	0/5	1						duce		and) to	(DF	, RKB, F 553 or		r.) feet	hđ. fla	nge 	feet
uly 17. 1	965_		July P.B.T.E	_ <u>Z4</u>	. 196	25	Sin	gle, dual	or trip	ole comp		333 E1	I TE th	s 18 A C	lual or	riple c	ompletion.
865								Dry 1	hole				pletic			101 - 101	
Producing inter	val (8)	for this	comple	etion					Rote	ary tool	used	(interval))	Cable	tools u	ed (In	terval)
Non							<u> </u>			<u>-865</u>				1 55 4			
Was this well	lirectio	onelly di	illed?	Was	direction	nal su	rvey	made?	filed	в сору о L?	f direct	ional aurv	/ey	Date	niea		
No Type of electric	 -			(-) -		eled v	eleb el		legion)					Date	filed		<u>-,</u>
Electric	_		ga run	(Cite	ick loga	illed F	*1644 6	io commi						Set b	y Scl	ılum	berger
PIECLIIC	<i>A</i>	Liug						CASING	REC	ORD							
Casing (report	all at	rings se	t in w	ell—c	onducto	r, surf	ace, i	ntermedi	ate, pr	oducing	etc.)						
Purpose	\top	Size ho	le drille	a	Size	asing	net	Weigh	t (lb./				Sacks cement		1	Amt. pulled	
Surface		10	11		8	5/8	11	3	2	-	27	71		sx.		No	ne
Duriace				·												_	
																<u> </u>	
		ING RE							1 00			LINER R Bottom	ECORE		cement	ls	creen (ft.)
Sixe Îr		pth set	ft.	Paci	(er set s	ft.	Size	in	L. Tor	,	ft.	Potrion.	ít.	1 -			:
		PERF		N R	ECORD	·-··				ACID	, shor	FRAC	rure,	CEME	T SQU	EEZĘ	RECORD
Number per	it.	Size &	type		D	epth In	terva	l	1	km't. &	kind of	material	used		De	pth Int	erval
									-						· · · · · · · · · · · · · · · · · · ·		
	$\neg \neg$	·															
								NITIAL'				······································		 -	- 5	- T	
Date of first	produc	tion		Pro	ducing 1		(indi	cate if:fl	owing,	gas lif	t of pu	mping—ii	, bambi	ng, sho	W SISO	k type	of pump:)
									<u> </u>	s prod.	during	test 1.3	Water r	rod du	ring tes	t I Oil	gravity
Date of test	Hrs.	tested	Ch	oke s	iz e	On p	roa. a	uring tes bbls	- 1	. prou.		MCF	······································	100	bble	- 1	* API (Cor
Tubing press	1	Coelne	pressu	re	Calite	d rate	of Pro		<u> </u>		Gas	<u>-</u>	1 77	ater		Ga	s-oil ratio
Thomas brees	""	Camina	y :		duction	on per	24 hr	5.		bbls.		MO	CF		bbl	.]	
Disposition of	gas (state wi	ether v	ente	d. used	for fue	l or so	old):	_		·		-	· . r	· ·	٠	r:
																	
CERTIFICAT					. 45		nariu	: ev state (that T	em the	A	gent-C	ieolo	gist		· · · · · · ·	
Walk	er r	oros,	Oll	rvisi	n ang g iiithëi	lrection	end i	ompany), that the f	and ti acts-sta	nat I am ited ther	authori ein are	zed by sai true, corre	id comp ect and	any to i romplet	nake this	pest of	t; and that the
Jehotr wire h	tchare.							•		_		70	.D.	31/		7-1-16	24/0
Augus	t 5,	196	5							- C	<u> </u>	<u>. ک.</u>	Jai		×10.	9,4	
Date										Signa	rare [,]		_	10	83	,જ ્	到一同
	- '		-						•	٠	•			H	200	N C	多日
- ·											· 			17	<u>مـــّـــ</u>	0	3 5
								_		-			ГАТЕ			2,4	8 K
			•				_			3	OIT 9	k GAS (CONSE	RVĀŢ	EN CO	16	SION
							. 1		-		Well Co	mpletion	or Rec	ompleti	on Repo	and	Vell Log
									t				77'1	0 0			
ļ	ر بادارد. معمد ما الراز والي	•								Form	No. 4		rue	One C	рру		

•

(Complete Reverse Side)

DETAIL OF FORMATIONS PENETRATED Description* Bottom Formation Top Shale-Red, gray, w/minor sandstone streaks. 563¹ 0 Chinle Occasional limestone nodule. Chinle Sandstone, mudstone conglomerate. Sandstone is 760 563 Conglomerate light gray, fine to coarse grained w/red & green r (7 -- 3 micaciom shale streaks. Sandstone white to gray, fine to medium grained w/ 770 760 Shenarump clay cement. Shale, red-brown, very silty sandy, micaciour w/ 857 770 Moenkopi minor sandstone streaks, very hard. Sandstone-buff fine grained subround to round 865 857 Coconino friable--good porosity and permeability. Recovered 14 feet 61 Shale red-brown silty 851 to 865 Core No. 1 8º Sandstone-buff fine grained subround to round friable. Open one hour, stong blow immediately, decreased 865 854 to DST No. 1 to weak in 30 minutes. Swabbed salt water, 600 feet salt water in hole

INSTRUCTIONS:

्रि इ

Attach drillers log or other acceptable log of well.

This Well Completion or Recompletion report and well log shall be filed with the State of Arizona Oil & Gas Conservation Commission not later than thirty days after project completion.

Form No. 4

Show all important zones of porosity, detail of all cores, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

		T.		PLUG	GING	REC	ORD				
perator	D 0:1	C				Addr D		1871	5. Ok	la. Cit	y, Oklahoma
ederal State or	r Bros. Oil Indian Lease Numb	. Compa er.	ny		Well		Field & Res	servoir			
r lessor's name i	f fee lease. La	nsdale	F	ee l	<u> </u>				Pinta	Area	y County
ocation of Well Sec. 17-	19N-26E	1807 FI	VL:]	1930 F	EL		S	ec-Twp-	age or Di	ock & Survey	Apache
-	ill this well was file		Has t	his well ev	er		racter of well		etion (in	itial producti CF/day)	ion):
name of	ros. Oil Co		produ	No_{\bullet}	gas	C	Oil (bbls/day)	'	Gas (m	Cr/day!	Yes Dry?
Date plugged:			Total	depth	i		unt well prod		hen plug	ged:	Water (bbls/day)
July 26, 1	965		8	65	Ì	(Oil (bbls/day)	'	Gas (m	CF/day)	Water (DDIS/day)
lame of each fo	rmation con-	n con- Fluid content of each formation Depth interval of		each for	mation	Size, kind	& depth of plugs used ones squeeze cemented.				
aining oil or gas which formation	as. Indicate on open to well-								giving amo	ount cement	
ore at time of p										C	+ Dluc 965 91
Coconino)	Salt \	Wate	<u>r — — </u>			857-865				t Plug 865-81! n 4 3/4" hole
		<u> </u>				_					mud 815-50*
loenkopi-	Shenarump	<u> </u>								1	
Shinles		none	-evi	lent			0-857			5 sx. C	Cement 0~501
				· — -	·			= -		<u> </u>	
				C	ASING	RECO	ORD				
Size pipe	Put in well (ft.)	Pulled ou	t (ft.)	Left in W	ell (ft.)	meth	ve depth and nod of parting ising (shot, pped, etc.)		-	Packers an	d shoes
0.5/9	3 5/8 27 Non		None 27			1	pheat cress	(pen e	ended	
9 3/0								-			
		 		<u> </u>		┼		 -			
		<u> </u>				┼		<u>}</u>			
		 									
	<u> </u>	<u> </u>		<u> </u>		<u> </u>	icate deepest	for any atlan		ing frosh wa	tor
Was well fi	lled with mud-lader					<u>l</u>]	None	evident	
	NAMES AND			ADJACENT	LEAS	E OPI	ERATORS OF	OWNE			
Name		A	diress			Direction from this well:					
Walker B	ros. Oil		P. O.	Box 1	18715, Oklahoma City East - No					t - Nor	theast
			-								
plugging opera	other information intions to base of frace owner author ght be required.	required on esh water s izing compl	this for and, pe etion o	rm, if this rforated in f this well	well waterval to as a w	as plu to fre ater	gged back for sh water sar well and agre	r use as and, name coing to	a fresh we and ac assume f	ater well, gi ldress of su ull liability	ve all pertinent details rface owner, and atta for any subsequent plu
	_ 										<u></u>
Use reverse sig	de for additional del	.all.									
CERTIFICATI	5: I, th≥ undersigne	d. under th	e penal	ty of perju	ıry, stat	e thai	t I am the	Agent	-geol	ogist	of
11/-13	Proc Oil C	`omnan	47	(d the	t I am author	ized by s	aid comt	any to make	this report; and that
report was pre	epared under my sur	ervision and	direct	ion and tha	t the fac	ets sta	ited therein ar	e true, co	rrect and	l complete to	the bost of my knowled
A + -	1045						R	. ع (Yand	(6)	
August 5	2, 1705						Signatur	e ·		1300	是深層
										10 00	公公的日
			· · · · · · · · · · · · · · · · · · ·			\top			STATE	DEARIZO	AND 'S E
							OII	L & GA		EKV TION	MODERNI MESTON
										gging Becord	140
1									Fi	le One Copy	TEITH
Permit No.	320	.					Form No. 10				

i 🚓

6.5

LICATION TO ABANDON AND PL

FIELD Wildcat Pinta Dome Area	
OPERATOR Walker Bros. Oil Co. ADI	DRESS P. O. Box 18715, Okla. City, Okla.
Federal, State, or Indian Lease Number or Lessor's Name if Fee Lease Lansdale - Fee	WELL NO 1
SURVEYSECTION17	COUNTY Apache
SURVEIL	
1707' FNL; 1930 FEL	
TYPE OF WELL Dry Hole (Oil, Gas or Dry Hole)	TOTAL DEPTH 865
ALLOWABLE (If Assigned)	
LAST PRODUCTION TEST OIL.	(Bbls.) WATER(Bbls.)
GAS	(MCF) DATE OF TEST
PRODUCING HORIZON PRODUCING	ODUCING FROM TO TO
1. COMPLETE CASING RECORD	
271 - 8 5/8" cemented w/6 sx. Ceme	
5 %	x- 865 to 815 (4 3/4" holé)
2. FULL DETAILS OF PROPOSED PLAN OF WORK	2- 003 10 013 (1 0) 1 202)
heavy mud from 815 to 501, 5 sx 0-501	11. I land de societion
41 high pipe monument erected W/name of op	erator and lease, land description,
pit drained and covered.	
Verbal approval abtained July 24, 1965.	
If well is to be abandoned, does proposed work conform with reproposed procedure above.	
DATE COMMENCING OPERATIONS July 26, 1965	
NAME OF PERSON DOING WORK Truitt Henderson	ADDRESS Phoenix, Arizona
CORRESPONDENCE SHOULD BE SENT TO J. Ewing W	alker, PO Box 18715, Okla, Gitty, Okla
Name 1) C	P. y
Title	Salle CENT
	ologist Contract
Address	13 75 0 78 F
Date	1st 5, 1965
0-12-15	STATE OF ARIZONA
Date Approved 8-12-65	OIL & GAS CONSERVATION COMMISSION Application to Abandon and Plug
STATE OF ARIZONA OIL & GAS CONSERVATION COMMISSION	File Two Copies
By: John Bannister	Form No. 9

ጌ

				٠.
	 .			
*				
APPLICATION FOR	PERMIT TO DRILL,	DEEPEN, PLUG_B	ACK, OR RE-ENTE	ER∙
APPLICATION TO DE	ILLE DEEPEN	PLUG BACK □ RE	-ENTER OLD WELL []	
NAME OF COMPANY OR OPERATOR	•	- 1	DATE June 23,	1965
Walker Bros. Oil Compan	v			
Address	City		State	72110
P. O. Box 18715	Oklahoma Cit	у,	<u>Oklahoma</u>	73118
	DESCRIPTION OF V			
Federal. State or Indian Lease Number or nar		Well number # 1	Elevation (gro	ound)
No. 1. Lansdale (Fee Leas Well location and acreage dedicated to the wel	l (give footage from section	lines) Section—to	wnship-range or block &	survey
1807 FNL, 1930 FEL, (640	acres dedicated	County	1 MA-KEOD	
Wildcat-Pinta Dome Area		Apache		
Distance, in miles, and direction from neares				
5 miles to Navajo Nearest distance from proposed location	, Allzona	Distance from proposed completed or applied—for	location to nearest drilling	g.
to property or lease line:	foot	None None	Well of the same tease.	feet
Proposed dapth:	Rotary or cable tools	App	rox. date work will start	
900*	Rotary	· · · · · · · · · · · · · · · · · · ·	July 6, 1965	
Number of acres in lease:		Number of wells on lease completed in or drilling t	o this reservoir:	
1259.30 Acres		None		
If lease, purchased with one or more wells drilled, from whom purchased:	Same .	Ad	dress	- د س
Not .	Applicable		:	
Status and amount of bond	Organization Report	•	Filing Fee of \$25.00	
Applied for Remarks: (If this is an application to deepen producing zone and expected new	or plug back, briefly descri	be work to be done, giving	Attacheu	<u>-</u>
*Fill in Proposed Casing Program on rev	rerse side		STATE COMME	PEDEMENT 1965 TE
		Geolog	ist-Agent	
CERTIFICATE: I, the undersigned, under th		at I am the		of the
.W.alker.BrosOil.Compared under my supervision s	iTly(company), a and direction and that the fac	Signature June 23	E. Lauth	is report; and that this best of my knowledge.
Permit Number: Approval Date: Approved By: Notice: Before sending in this form be all information requested. Much ence will thus be avoided. See Instruction on Reverse Side of	differently correspond	OIL & GAS	STATE OF ARIZONA CONSERVATION CO to Drill, Deepen or Plug B File Two Copies	ı

(Complete Reverse Side)

	Operator shall outline the dedicated acreage for both oil and	gas well	s on	the	plat.
1	Operator chall nutting the dedicated acreage for come our and	Pro	· · · · ·	,	<u>.</u>

- 2. A registered professional engineer or land surveyor registered in the State of Arizona or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 3. All distances shown on the plat must be from the outer boundaries of the Section.
- 4. Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES X NO
- 5. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? YES____NO______ If answer is "yes," Type of Consolidation______

Land Description

6. If the answer to question two is "no," list all the owners and their respective interests below:

SEE AT	TACHED PLAT		CERTIFICATION
			I hereby certify that the information above is true and complete to the best of my knowledge and belief. Name Geologist Position Company Malker Bros. Oil Co Date June 23, 1965
			I hereby certify that the well loca- tion shown on the plat was plotted from field notes of actual survey made by me or under my super- vision, and that the same is true an- correct to the best of my knowledg and belief.
) ~	, (-		Date Surveyed Registered Professional Engineer and/or Land Surveyor

PROPOSED CASING PROGRAM Sacks Cement Cementing Depths Grade & Type Top Bottom Size of Casing Weight 0 to 30 30¹ 6 sx. 8 5/8" J-550 24# 9001 900 - 800 50 sx. J-55 4 1/2¶ 9.5#

₡ Hole Proposed Location Section Scale: 1"= 1000" 19 20 WELL LOCATION: Walker Brothers Oil Co., # 1 Lansdale Located 1807 feet South of the North line and 1930 feet West of the East line of Section 17, Gila & Salt River Meridian, Range 26 East, Township 19 North, Apache Co., Ariz. Existing ground elevation determined at 5553 feet based on adjoining well locations. WALKER BROTHERS OIL COMPANY Oklahoma City, Oklahoma I harmby certify the above plot represents a surv made under my supervision and that it is accurally WELL LOCATION PLAT Sec. 17, T. 19 N., R. 26 E. Apache Co., Arizona

> DATE: June 14, 1965 FILE NO: 65045

CLARK - REED & ASSOC. Durango , Colorado

9

Registered Land Surveyor State of Arizona # 5313

DEPARTMENT OF THE INTENIOR
GEOLOGICAL SURVEY 35*07'30* ACRE II BW 121 16) 1016 Pe · Di Garage 912 PE 2'30'

œ.

$g_{ij} = \frac{1}{i} e_i$	(KNOW ALL M	EN BY THESE P	RESENTS	
				BOND S	SERIAL NO. 3649487
That we:	Walker Bros. 0	il Company			
of the County of:	Oklahoma		in the State of:	0klahoma	
as principal, and	Hartford Accid	ent and Indemni	ty Company		
of	Hartford, Conn		USINESS WITHIN	the State of Arizona	
States, for wi administrator	hich payment, well and rs or successors, and as	d truly to be made, we signs jointly and seven that whereas the about that whereas the about the	e bind ourselves, erally, firmly by th ove bounden princ	and each of us, and lese presents. cipal proposes to drill	lawful money of the United each of our heirs, executors, a well or wells for oil, gas or vit:
Northeast	Quarter (NE/4)	Sec. 17-19N-26E (May be used as	Apache Cour	nty, and other laingle well)	ocations (Blanket)
rules, regula A.R.S. 27-510 servation Co or gas in cor	ations and orders of the figure of the promission all notices a mmercial quantities, or the shall be and remain	e Oil and Gas Conse oper drilling, casing a nd records required b r cease to produce oil	rvation Commission of same of same of same of same of same or gas in comme of.	on, especially with ref id well or wells, and : n, in the event said w	the laws of this State and the erence to the requirements of filing with the Oil & Gas Conell or wells do not produce oil this obligation is void; other-
Witness our	hands and seals, this	3rd	_day of	June, 1965	ONS E REL
		WALKER BROS.	OIL COMPANY		CO 1 W
		by: G w	Walker OC	Principal Part	ner /OUII
Witness our	hands and seals, this	3rd	_day of	June, 1965	6116112
O.M. C.	Penela S	HARTFORD ACC	IDENT AND IND	EMNITY COMPANY	W. W. T.
untersig	nature	Alta S. Lee	(S. Lee	Surely Attorne	ey-in-Fattl Con 80
(If the principal or sures	pal is a corporation, the bo ty executes this bond by a	ond should be executed be agent, power of attorney	y its duly authorized or other evidence of	officers, with the seal of authority must accompar	the corporation an sed. With An-
Approved Date OI By: Permit No	State of A state of A			OIL & GAS CONSERV	ARIZONA WATION COMMISSION ond vo Copie
corporate	instrument; that he seal; that it was so y like order.	knows the seal of the	e said corporation	; that the seal affixed tors of said corporati	I to the said instrument is such on and that he signed his name
STATE (OF CONNECTICUT	` } _{ss.}	Z (JOTAB) D POBLIC	Sty	Notary Public
	OF HARTFORD,	J	CERTIFICATE	,	ommission expires March 31, 1967 INDEMNITY COMPANY, a
Connection full fore	out Corporation DO I	HEREBY CERTIFY evoked: and further	Y that the foregoing that the control of the contro	ng and attached POV e IV, Sections 8 and 1	VER OF ATTORNEY remains 11, of the By-Laws of the Com-

Form S-3507 3rd Rev. Printed in U.S.A. 2-62

Signed and sealed at the City of Hartford. Dated the 3rd day of

KNOW ALL MEN BY THESE PRESENTS 3649487 BOND SERIAL NO. That Walker Bros. 011 Company in the 0klahoma of the 0klahoma County of: as principal, and____ Hartford Accident and Indemnity Company Hartford, Connecticut AUTHORIZED TO DO BUSINESS WITHIN the State of Arizona. as surety, are held and firmly bound unto the State of Arizona in the penal sum as indicated, lawful money of the United States, for which payment, well and truly to be made, we bind ourselves, and each of us, and each of our heirs, executors, administrators or successors, and assigns jointly and severally, firmly by these presents. The conditions of this obligation is that whereas the above bounden principal proposes to drill a well or wells for oil, gas or stratigraphic purposes in and upon the following described land situated within the State, to wit: Northeast Quarter (NE/4) Sec. 17-19N-26E, Apache County, and other locations (Blanket) (May be used as blanket bond or for single well) NOW, THEREFORE, if the above bounden principal shall comply with all of the provisions of the laws of this State and the rules, regulations and orders of the Oil and Gas Conservation Commission, especially with reference to the requirements of A.R.S. 27-516, providing for the proper drilling, casing and plugging of said well or wells, and filing with the Oil & Gas Conservation Commission all notices and records required by said Commission, in the event said well or wells do not produce oil or gas in commercial quantities, or cease to produce oil or gas in commercial quantities, then this obligation is void; otherwise, the same shall be and remain in full force and effect. Ten Thousand and No/100 (\$10,000.00) June, 1965 3rd Witness our hands and seals, this. _day of_ WALKER BROS, OIL COMPANY V. Eving Walker Principal Partner June, 1965 3rd Witness our hands and seals, this. ____day of_ HARTFORD ACCIDENT AND INDEMNITY COMPANY Alta S. Attorney-in-Fact Surety (If the principal is a corporation, the bond should be executed by its duly authorized officers, with the seal of the corporation cipal or surety executes this bond by agent, power of attorney or other evidence of authority must accompany the bond.)

STATE OF ARIZONA

OIL & GAS CONSERVATION COMMISSION

£3

Approved/

STATE OF ARIZONA
OIL & GAS CONSERVATION COMMISSION

POWER OF ATTORNEY

Know all men by these Presents, That the HARTFORD ACCIDENT AND INDEMNITY COMPANY, a corporation duly organized under the laws of the State of Connecticut, and having its principal office in the City of Hartford, County of Hartford, State of Connecticut, does hereby make, constitute and appoint

> of OKIAHOMA CITY, OKIAHOMA, ALTA S. LEE,

its true and lawful Attorney(s)-in-fact, with full power and authority to each of said Attorney(s)-in-fact, in their separate capacity if more than one is named above, to sign, execute and acknowledge any and all bonds and undertakings and other writings obligatory in the nature thereof on behalf of the company in its business of guaranteeing the fidelity of persons holding places of public or private trust; guaranteeing the performance of contracts other than insurance policies; guaranteeing the performance of insurance contracts where surety bonds are accepted by states and municipalities, and executing or guaranteeing bonds and undertakings required or permitted in all actions or proceedings or by law allowed.

in penalties	not	exceeding	the	sum	of	TWO	HUNDRED	FIFTY	THOUSAND	DOLLARS	
(\$250,000.00)) eac	ch,						,			
					_						

and to bind the HARTFORD ACCIDENT AND INDEMNITY COMPANY thereby as fully and to the same extent as if such bonds and undertakings and other writings obligatory in the nature thereof were signed by an Executive Officer of the HARTFORD ACCIDENT AND INDEMNITY COMPANY and sealed and attested by one other of such officers, and hereby ratifies and confirms all that its said Attorney(s)-in-fact may do in pursuance hereof.

This power of attorney is granted under and by authority of the following By-Law adopted by the Stockholders of the HARTFORD ACCIDENT AND INDEMNITY COMPANY at a meeting duly called and held on the 10th day of February, 1943.

ARTICLE IV

SECTION 8. The President or any Vice-President, acting with any Secretary or Assistant Secretary, shall have power and authority to appoint, for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, one or more Resident Vice-Presidents, Resident Assistant Secretaries and Attorneys-in-fact and at any time to remove any such Resident Vice-President, Resident Assistant Secretary, or Attorney-in-fact, and revoke the power and authority given to him.

SECTION 11. Attorneys-in-fact shall have power and authority, subject to the terms and limitations of the power of attorney issued to them, to execute and deliver on behalf of the Company and to attach the seal of the Company thereto any and all bonds and undertakings, and other writings obligatory in the nature thereof, and any such instrument executed by any such Attorney-in-fact shall be as binding upon the Company as if signed by an Executive Officer and sealed and attested by one other of such Officers.

This power of attorney is signed and sealed by facsimile under and by the authority of the following Resolution adopted by the Directors of the HARTFORD ACCIDENT AND INDEMNITY COMPANY at a meeting duly called and held on the 13th day of March, 1956.

RESOLVED, that, whereas the President or any Vice-President, acting with any Secretary or Assistant Secretary, has the power and authority to appoint by a power of attorney, for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, one or more Resident Vice-Presidents, Assistant Secretaries and Attorneys-in-fact;

Now therefore the signatures of such officers and the seal of the Company may be affixed to any such power of attorney or to any certificate relating thereto by facsimile, and any such power of attorney or certificate bearing such facsimile signatures or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by facsimile signatures and facsimile seal shall be valid and binding upon the Company in the future with respect to any bond or undertaking to which it is attached.

In Witness Whereof, the HARTFORD ACCIDENT AND INDEMNITY COMPANY has caused these presents to be signed by its Vice-President, and its corporate seal to be hereto affixed, duly attested by its Secretary, this 2nd day of April, 1962.

HARTFORD ACCIDENT AND INDEMNITY COMPANY

Attest:

6.3

STATE OF CONNECTICUT,

Vice-President

On this 2nd day of April, A. D. 1962, before me personally came Wm. H. Wallace, to me known, who being by me duly sworn, did depose and say: that he resides in the County of Hartford, State of Connecticut; that he is the Vice-President of the HARTFORD ACCIDENT AND INDEMNITY COMPANY, the corporation described in and which executed the above instrument; that he knows the seal of the said corporation; that the seal affixed to the said instrument is such corporate seal; that it was so affixed by order of the Board of Directors of said corporation and that he signed his name thereto by like order.

STATE OF CONNECTICUT.

COUNTY OF HARTFORD.

CERTIFICATE

Notary Public

My commission expires March 31, 1967

I, the undersigned, Assistant Secretary of the HARTFORD ACCIDENT AND INDEMNITY COMPANY, a Connecticut Corporation, DO HEREBY CERTIFY that the foregoing and attached POWER OF ATTORNEY remains in full force and has not been revoked; and furthermore, that Article IV, Sections 8 and 11, of the By-Laws of the Company, and the Resolution of the Board of Directors, set forth in the Power of Attorney, is now in force.

Signed and sealed at the City of Hartford. Dated the


3rd

June

19 65



day of Assistant Secretary



 G_{3}

October 25, 1965

Walker Bros. Oil Company P.O. Box 18715 Oklahoma City, Oklahoma 73118

Attention: Mr. J. Ewing Walker

Re: Hartford Accident & Indomnity Company Bond 3649487

Gentlemen:

In response to the request contained in your letter of October 20, 1965, this letter will constitute the authority from this Commission to terminate captioned bond effective October 22, 1965.

Very truly yours,

John Bannister Executive Secretary

cc: Hartford Accident & Indemnity Co. Hartford, Connecticut

• •

WALKER BROS. OIL COMPANY

P. O. BOX 18715

OKLAHOMA CITY, OKLA.73118

ROBERT C. WALKER, JR. J. EWING WALKER

October 20, 1965

Mr. John Bannister
Executive Secretary
Oil & Gas Conservation Commission
Room 202
1624 West Adams
Phoenix, Arizona 85007

Re: Hartford Accident & Indemnity Company Bond 3649487

Dear Mr. Bannister:

I appreciate your letter regarding the increase in the bond required for the State of Arizona. We do not intend to drill any more in your State for the time being and, therefore, I would appreciate it if you would release our old bond that you have in hand and forward same to me.

Sincerely yours,

J. Ewing Walker

JEW/np

Mary pleased as of cantelling of

REDENIED STATE OF MAN STATE OF

ᢢᢧᢆ

October 15, 1965

Walker Bros. Oil Company P.O. Box 18715 Oklahoma City, Oklahoma 73118

Re: Hartford Accident & Indemnity Company Bond 3649487

Gentlemen:

As you are aware, the captioned bond in the amount of \$10,000 is on file with this Commission to cover bonding requirements of this Commission.

As a result of the public hearing held September 22, 1955 in Phoenix, Arizona, concerning the Rules and Regulations of this Commission, the bouding requirements have been increased to \$5,000 for a single well and to \$25,000 for a state-wide blanket

As required by law, certified copy of the new Rules and Regulations was filed with the Secretary of State on October 1, 1965, and consequently on that date the new Rules became effective.

In reviewing our files we note that all wells drilled by you have been completed and all information has been filed in accordance with our Rules and Regulations. Therefore, if you desire, this bond may be terminated after written request from you is received in this office. At such time as you again commence uperations in Arizona it will be uccessary that a new bond in the amount of \$25,000 be filed with this Commission.

If you desire to maintain a current bond, it is requested that you take the necessary steps to increase your state-wide bond to \$25,000. Upon receipt of your new bond then the old bond of course may be released.

Your earliest cooperation will be appreciated.

Yours very truly,

John Bannister Executive Secretary

August 12, 1965

Walker Bros. Oil Company P.O. Box 18715 Oklahoma City, Okla. 73118

Attention: Miss Nettie Pruitt, Secretary

Re: Walker Bros. #1 Lansdale Fee well SW NE 17-19N-26E, Apache County, Arizona Permit 320

Gentlemen:

This will acknowledge receipt of your application to abandon and plug, the plugging record, and well completion report covering captioned well. Logs have been received previously.

We are enclosing approved copy of your Application to Abandon and Plug.

Your cooperation is very much appreciated.

Yours very truly,

John Bannister Executive Secretary mr enc

WALKER BROS. OIL COMPANY
9. 0. BOX 18715
OKLAHOMA CITY, OKLA.73118

ROBERT C.WALKER, JR. J. EWING WALKER

August 9, 1965

Oil and Gas Conservation Commission State of Arizona Room 202 1624 West Adams Phoenix, Arizona 85007

Gentlemen:

I am enclosing herewith Application to Abandon and Plug, Plugging record, and well completion or recompletion report and well log on the Lansdale No. 1 well, Section 17, 19N-26E, Apache County, Arizona, for your approval.


Sincerely yours,

WALKER BROS. OIL COMPANY

Lettie fruitt Nettie Pruitt, Secretary

/n

Encl.



#320

207 CENTURY BLOB.

OFFICE CHERRY 7-0025 RESIDENCE CHERRY 7-3190

ROBERT E. LAUTH GEOLOGICAL CONSULTANT P. O. BOX 776 DURANGO, COLORADO

July 30, 1965

Mr. John Bannister Oil and Gas Conservation Comm. State of Arizona 1624 West Adams Room 202 Phoenix, Arizona 85007

> Re: Walker Bros No. 1 Lansdale SWNE Sec 17 T19N R26E Apache County, Arizona Permit No. 320

Dear Mr. Bannister: We received verbal approval from Mr. Jim Scurlock on July 24, 1965 to plug and abondoned the above captioned well. Would you send the necessary forms to file a

completion on the well. The samples from the well were delivered to the Four Corners Sample Cut in Farmington. Schlumberger was requested to send you two copies


of the final Electrical log.

rica

Very truly yours,

R.E. Lauth

#320



July 29, 1965

Walker Bros. Oil Company P.O. Box 18715 Oklahoma City, Okla. 73118

Attention: Hr. R.E. Lauth, Geologist-Agent

Re: Walker Bros. #1 Lansdale Fee SW/4NE/4 17-T19N-R26E, Apache County, Arizona Our file 320

Gentlemen:

By telephone a request was made by Mr. Lauth to plug captioned well. Mr. J.R. Scurlock gave this permission.

Enclosed are the necessary report forms required by this Commission's Rules and Regulations. These, together with copies of logs and the test results, should be filed with this Commission within thirty days after well completion.

If this office may be of help to you, please contact us.

Yours very truly,

John Bannister Executive Secretary mr enc

July 8, 1965

Walker Bros. 011 Company P.O. Box 18715 Oklahoma City, Okla. 73118

Attention: Hiss Nettie H. Pruitt

Re: Walker Bros. #1 Lansdele Fee well 8W/4NE/4 17-T19N-R26E, Apache County, Arisona Permit 320

Gentlemen:

Enclosed are approved copy of your Application to Drill, bond, Receipt 9417 for filing fee.

Also enclosed is a supply of Form 25, Sundry Notices and Reports on Walls. This report should be submitted monthly.

However, we should be notified when a well is spudded, when it is being logged or tested, if operations are being suspended for any reason, etc., whether or not any of these coincide with the above monthly report.

Please be assured that we are extremely interested in the success of your operations. If this office may be of assistance to you at any time, do not hesitate to contact us.

Yours very truly,

John Bannister Executive Secretary mr enc

n

July 6, 1965

The Hartford Insurance Group 1410 N. 3rd Street Phoenix, Arisona 85004

Attention: Mr. Art Summers, Bond Department

Re: Hartford Accident & Indomnity Company Bond 3649487

Gentlemen:

As per our telephone conversation of this date, I am handing you the original and one copy of the captioned bond.

To be effective, this bond must be counter-signed by an Arizona agent. Will you please secure the necessary countersignature and return both topics to this office at your earliest convenience. The principal, Waler Brothers Oil Company, must have this bond in force as soon as possible in order to commence operations within the State.

Should you have any questions would you please advise.

Yours very truly,

John Bannister
Executive Secretary
er
enc
ec: Walker Brothers Oil Co.
P.O. Box 18715
Okla. City. Okla. 73118

As soon as the countersigned bond is returned your permit will be issued.

By

WALKER BROS. OIL COMPANY

OKLAHOMA CITY, OKLA.73118

ROBERT C.WALKER, JR. J. EWING WALKER

June 29, 1965

Oil & Gas Conservation Commission State of Arizona Room 202 1624 West Adams Phoenix, Arizona 85007

Gentlemen:

I am enclosing herewith an Application for Permit to Drill, Deepen, Plug-back, or Re-Enter, Plat showing well location, Organization Report and Bond for the No. 1 Lansdale, Section 17-T19N-R26E, Apache County, Arizona, for your approval. I am also enclosing a check in the amount of \$25.00 for the filing fee.

Yours very truly,

Attie I Pruitt, Secretary

/n

Encl.

